




MOEN/CSI/DONNER - Bathroom Accessories

Price Page

Vendor Site




Contemporary

3/4" Square Bar Concealed Screw

- P5124**24" Bar x 3/4" Square
- P5080**Paper Holder with White Roller
- P5860**Towel Ring with Metal Ring

Stocked Finish:

Chrome (CH) only



Brighton Design

Concealed Screw

- BP324**24" Bar x 3/4" Round
- BP308**Paper Holder
- BP386**Towel Ring

Stocked Finish:


Chrome (CH), Pewter (PW) only



Price Page

MOEN - Bathroom Accessories

Vendor Site



Madison Design

Concealed Screw

BP692424" Bar x 3/4" Round


BP6908Paper Holder

BP6986Towel Ring

Stocked Finish:

Chrome (CH)

Special Order Finishes: Pewter (PW)



Brantford Design

(Replaces Castleby)
Concealed Screw

YB222424" Bar x 3/4" Round

YB2208Paper Holder

YB2286Towel Ring

Stocked Finish:

Chrome (CH)

Special Order Finishes: Brushed Nickel (BN),
Oil Rubbed Bronze (ORB)



MOEN/CSI/DONNER - Bathroom Accessories

Price Page

Vendor Site



Eva Design Concealed Screw

- YB2824**24" Bar x 3/4" Round
- YB2808**Paper Holder
- YB2886**Towel Ring

Stocked Finish:
 Chrome (CH), Brushed Nickel (BN),
 Special Order Finishes: Oil Rubbed Bronze (ORB)

Kingsley Design Concealed Screw

- YB5424**24" Bar x 3/4" Round
- YB5408**Paper Holder
- YB5486**Towel Ring


Stocked Finish:
 Chrome (CH), Brushed Nickel (BN), Oil
 Rubbed Bronze (ORB)
 Special Order Finishes: Antique Nickel (AN),
 Wrought Iron (WR)
 Optional Special Order: ADA Grab Bars in
 Matching Design



MOEN/CSI/DONNER - Bathroom Accessories

Price Page

Vendor Site



Mason

With PRO-FIT Installation System

YB809818" Bar x 3/4" Round

YB8000Post

YB809424" Bar x 3/4" Round

YB8000Post

YB8099Paper Holder

YB8000Post

YB8086Towel Ring

Stocked Finish:

Chrome (CH), Satin Nickel (SN),
Old World Bronze (OWB)

Special Order Finishes: Brushed Chrome (BC),
Polished Brass (PB), Chrome/Polished Brass (CP)

installation

1. Locate position where towel ring should be installed.
2. Drill one pilot hole.
3. Position mounting post to wall by inserting wall anchor into pilot hole and pressing firmly.
4. Make sure that locking tab on mounting post is facing down (6 o'clock).
5. Tighten wall anchor screw while holding mounting post firmly in place.
6. Attach towel ring by pressing firmly to mounting post until it clicks. (The square opening at the base of the post must be facing down to match up with locking tab.)
7. Place spring roller into each post.

